


JEM International Super Sack Filling System



JEM Super Sack Fillers provide dust tight filling environments with accurate weighments and transferable weight data. The inflatable balloon spout will accommodate any circumference spout top bag while the blower system eliminates the repetitive task of connecting and disconnecting the corner loops on the bag.

The digital controller includes both Ethernet and USB thumb drive communication ports for retrievable weight data. The standard system includes a three position gravity gate for bulk/dribble/closed fill cycles.

Belt feeders, screw augers, slide gates and butterfly valves are also available.



DATA COLLECTION AND ANALYSIS COMES STANDARD ON EVERY DIGITAL SCALE WE MANUFACTURE.

NW1 NET WEIGH

SEQID	RECIPE	LOT	DATE	TIME	TARGET	GROSS	
1	SALT 50	7415	7/4/2015	9:19:47	50.00lb	50.00lb	Bags per Min: 12
2	SALT 50	7415	7/4/2015	9:19:52	50.00lb	50.05lb	% error: .06
3	SALT 50	7415	7/4/2015	9:19:57	50.00lb	50.00lb	
4	SALT 50	7415	7/4/2015	9:19:52	50.00lb	50.00lb	Based on shown data
5	SALT 50	7415	7/4/2015	9:19:58	50.00lb	50.05lb	
6	SALT 50	7415	7/4/2015	9:20:05	50.00lb	50.10lb	
7	SALT 50	7415	7/4/2015	9:20:10	50.00lb	50.05lb	
8	SALT 50	7415	7/4/2015	9:20:15	50.00lb	50.00lb	
9	SALT 50	7415	7/4/2015	9:20:20	50.00lb	50.05lb	
10	SALT 50	7415	7/4/2015	9:20:25	50.00lb	50.00lb	

SMNW2 NET WEIGH

SEQID	RECIPE	LOT	DATE	TIME	TARGET	GROSS	
1	PET FOOD	WM123	6/17/2015	15:35:03	4.00lb	4.00lb	Bags per Min: 20
2	PET FOOD	WM123	6/17/2015	15:35:06	4.00lb	4.00lb	% error: .10
3	PET FOOD	WM123	6/17/2015	15:35:09	4.00lb	4.00lb	
4	PET FOOD	WM123	6/17/2015	15:35:13	4.00lb	4.02lb	Based on shown data
5	PET FOOD	WM123	6/17/2015	15:35:16	4.00lb	4.00lb	
6	PET FOOD	WM123	6/17/2015	15:35:19	4.00lb	4.00lb	
7	PET FOOD	WM123	6/17/2015	15:35:22	4.00lb	4.00lb	
8	PET FOOD	WM123	6/17/2015	15:35:25	4.00lb	4.00lb	
9	PET FOOD	WM123	6/17/2015	15:35:28	4.00lb	4.00lb	
10	PET FOOD	WM123	6/17/2015	15:35:31	4.00lb	4.02lb	

GWD GROSS WEIGH


SEQID	RECIPE	LOT	DATE	TIME	TARGET	GROSS	
1	CORN25KG	RP10521	5/23/2015	10:22:26	25.00KG	25.00KG	Bags per Min: 7.5
2	CORN25KG	WM123	5/23/2015	10:22:34	25.00KG	25.02KG	% error: .04
3	CORN25KG	WM123	5/23/2015	10:22:42	25.00KG	25.00KG	
4	CORN25KG	WM123	5/23/2015	10:22:50	25.00KG	25.00KG	Based on shown data
5	CORN25KG	WM123	5/23/2015	10:22:57	25.00KG	25.04KG	
6	CORN25KG	WM123	5/23/2015	10:23:05	25.00KG	25.02KG	
7	CORN25KG	WM123	5/23/2015	10:22:13	25.00KG	25.00KG	
8	CORN25KG	WM123	5/23/2015	10:22:21	25.00KG	25.00KG	
9	CORN25KG	WM123	5/23/2015	10:22:29	25.00KG	25.02KG	
10	CORN25KG	WM123	5/23/2015	10:22:37	25.00KG	25.00KG	

IN PROCESS WEIGH SCALE

SEQID	RECIPE	LOT	DATE	TIME	TARGET	GROSS	Discharges per Min: 5
1	RICE200	VO9864	6/18/2015	11:22:26	200.00lb	200.00lb	
2	RICE201	VO9864	6/18/2015	11:22:38	200.00lb	200.15lb	% error: .025
3	RICE202	VO9864	6/18/2015	11:22:50	200.00lb	200.05lb	
4	RICE203	VO9864	6/18/2015	11:23:02	200.00lb	200.00lb	
5	RICE204	VO9864	6/18/2015	11:23:14	200.00lb	200.10lb	Based on shown data
6	RICE205	VO9864	6/18/2015	11:23:26	200.00lb	200.00lb	
7	RICE206	VO9864	6/18/2015	11:23:38	200.00lb	200.00lb	
8	RICE207	VO9864	6/18/2015	11:23:50	200.00lb	200.05lb	
9	RICE208	VO9864	6/18/2015	11:24:02	200.00lb	200.10lb	
10	RICE209	VO9864	6/18/2015	11:24:14	200.00lb	200.00lb	

ETHERNET AND USB COMMUNICATION PORTS COME STANDARD WITH ALL SCALE CONTROLLERS. SERIAL 1A:RS232, USED FOR NETWORK AND PRINTERS, AND SERIAL 1B:RS484, TRANSMITS TO REMOTE DISPLAYS.

SUPERIOR DIAGNOSTICS CAPABILITIES INCLUDING FRONT PANEL DIAGNOSTICS AND JEM-LINK CABLE, ALLOWING WORLDWIDE REMOTE ACCESS THROUGH THE FREE REMOTE ACCESS PROGRAM TEAM VIEWER. THE SCALE PROGRAM NEEDED, VIEW400 SOFTWARE IS INCLUDED ON ALL MODELS.



TEAM VIEWER SCREENSHOT



VIEW 400 SCREENSHOT

THE JEM-423-BAT DIGITAL CONTROLLER IS AVAILABLE IN 4 MODELS:

100- GROSS WEIGH

120- NET WEIGH SIMPLEX AND/OR GROSS WEIGH WITH ANALOG SIGNAL

220- NET WEIGH DUPLEX

320- NET WEIGH TRIPLEX



JEM International 6873 Martindale, Shawnee, KS 66218
Phone: 913-441-4788 Email: info@jemscales.com
www.JemBaggingScales.com